



sonoma county
DEPARTMENT OF HEALTH SERVICES
PUBLIC HEALTH DIVISION

Barbie Robinson, MPP, JD – Director
Ellen Bauer, PhD, MPP – Division Director

August 7, 2018

Franklin Bert and Mary Lee Lathrop Trust
Attn: Bert Lathrop
120 Goodwin Lane
Penngrove, CA 94951

Re: 910 Baywood Drive, Petaluma
Leaking Underground Storage Tank Site
Site #00024331, SFBRWQCB #49-0314

Dear Mr. Lathrop:

This letter confirms the completion of site investigation and remedial action for the underground storage tanks currently located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the current underground storage tanks are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, this agency finds that the site investigation and corrective action carried out at your underground storage tank site is in compliance with the requirements of subdivisions (a) and (b) of Section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release at the site is required.

Claims for reimbursement of corrective action costs submitted to the Underground Storage Tank Cleanup Fund more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions applies:

- Claims are submitted pursuant to Section 25299.57, subdivision (k) (reopened UST case); or
- Submission within the timeframe was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

This notice is issued pursuant to subdivision (g) of Section 25296.10 of the Health and Safety Code. Please contact our office if you have any questions regarding this matter.

Sincerely,

A handwritten signature in blue ink that reads "Christine Sosko".

CHRISTINE SOSKO, REHS
Director of Environmental Health